

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-21775

Stream : Wabash River

Applicant : Hannum, Wagle & Cline Engineering
Dick R Weigel
5958 West 71st Street
Indianapolis, IN 46278

Description : A new 60" interceptor sewer will be placed under the river to convey sewage from the north side to the south. The line will have a minimum of 3' of cover between the pipe and the riverbed. The open trench construction method will be used. In addition, a 42" storm sewer outfall and new concrete headwall will be constructed along the south riverbank approximately 65' east of the proposed sewer line crossing and approximately 40' east of the existing outfall structure. Riprap will be placed at the base of this new headwall for energy dissipation. Also, nine (9) existing outfall structures located along the north river bank will have new headwalls constructed at the ends of the existing pipes. During the construction phase, a temporary access drive consisting of riprap will extend from the bank to the middle of the channel. The access drive will be constructed in two phases, from the north bank to the middle of the channel and then from the south bank to the middle of the channel. No more than 1/2 of the river channel flow will be blocked at any given time. Also, a section of an existing retaining wall will be removed along the south bank in order to construct the access drive from the south during the sewer installation. The section of retaining wall removed will be replaced once construction is complete. Details of the project are contained in information received electronically at the Division of Water on March 8, 2002, and in information and plans received at the Division of Water on March 21, 2002, March 26, 2002, April 15, 2002, May 1, 2002 and June 11, 2002.

Location : The sewer crossing is approximately 2200' downstream (southwest) of the State Road 19 stream crossing, the new outfall headwalls are located along the north river bank beginning at the east side of the Wallace Avenue river crossing and continuing downstream (southwest) in eight additional locations for approximately 1.7 miles
at Peru, Peru Township, Miami County
N½, NW¼, NE¼, Section 7, T 27N, R 4E, Bunker Hill Quadrangle
Quad Code: 4008661
UTM Coordinates: Downstream 4510900 North, 578250 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-21853

Stream : Van Run

Applicant : CMS Panhandle Eastern Pipeline Company
James M Padgett
PO Box 38
Zionsville, IN 46077-0038

Description : Approximately 30' x 36' and 70' x 90' of Ecroflex Articulating Grout Mats will be placed on the streambed , in separate locations, to protect a 24" and 22" exposed pipelines from further erosion. Sand bag cushions will be placed beneath the grout mats and above the exposed pipeline for protection. Clean fill will be used on site to bring the stream back to the pre-eroded conditions. Details of the project are contained in information received electronically at the Division of Water on May 8, 2002 and in information and plans received at the Division of Water on May 10, 2002, May 13, 2002 and June 6, 2002.

Location : Approximately 1000' upstream of the confluence with Barren Creek
DOWNSTREAM: near Fowlerton, Fairmount Township, Grant County
SW¼, NW¼, SW¼, Section 34, T 23N, R 8E, Gas City Quadrangle
Quad Code: 4008545
UTM Coordinates: Downstream 4472674 North, 617645 East
UPSTREAM:
UTM Coordinates: Upstream 4472594 North, 617642 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-21889

Stream : West Fork White River

Applicant : Ricker Oil Company
Jeff Holon
2508 Central Avenue
Anderson, IN 46016-5124

Description : A portion of a 200' x 190' area will be filled in the south (left) floodway of the river for the reconstruction of an existing convenience store and parking lot. The fill will vary in depth with a maximum height of 3.8'. It will be set approximately 550' to 600' back from the top of the bank. The fill's finished elevation will be 841.0', NGVD. The convenience store and parking lot will be constructed on top of the completed fill. The fill material will be obtained off site. Details of the project are contained in information and plans received at the Division of Water on May 31, 2002.

Location : Along the south bank of the river on the east side of Madison Avenue, between Sefton Street and Hazlett
DOWNSTREAM: near Anderson, Anderson Township, Madison County
NW¼, SW¼, NW¼, Section 12, T 19N, R 7E, Anderson South Quadrangle
Quad Code: 4008516
UTM Coordinates: Downstream 4441200 North, 611500 East
UPSTREAM:
UTM Coordinates: Upstream 4441200 North, 611550 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-21890

Stream : Trail Creek

Applicant : United States Coast Guard Station Michigan City
MK1 Paul Rotolo
10 On The Lake (Washington Park)
Michigan City, IN 46360-3292

Description : An existing 90' delapidated timber retaining wall located in front of the existing United States Coast Guard Station will be encapsulated with new steel sheet piling. In addition, a new 216 square foot floating dock will be constructed within the existing boat slip. It will be anchored to the slip with the use of 12" steel pipes filled with concrete. A 20' long gangway will connect the bank to the floating dock. Along the waterfront, existing sidewalks and guardrails will be replaced. Details of the project are contained in information and plans received at the Division of Water on June 3, 2002.

Location : At the United States Coast Guard Station south of the Washington Park Marina Basin
at Michigan City, Michigan Township, LaPorte County
NW¼, NE¼, NW¼, Section 29, T 38N, R 4W, Michigan City West Quadrangle
Quad Code: 4108668
UTM Coordinates: Downstream 4618920 North, 507670 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-21891

Stream : Indian Creek

Applicant : William F Schoolcraft
617 The Alameda
Middletown, OH 45044-4813

Description : An approximately 400' long levee was constructed along the bank. The new levee is an extension of an existing levee at the site. The levee is approximately 5' above existing ground elevations. Details of the project are contained in information and plans received at the Division of Water on June 3, 2002.

Location : Along the right (east) overbank, beginning approximately 1585' downstream (northwest) of Low Gap Road and continuing downstream for approximately 400'
DOWNSTREAM: at Martinsville, Washington Township, Morgan County
NE¼, Section 22, T 11N, R 1E, Martinsville Quadrangle
Quad Code: 3908644
UTM Coordinates: Downstream 4359285 North, 551485 East
UPSTREAM:
UTM Coordinates: Upstream 4359135 North, 551405 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19173

Lake : Pine Lake

Applicant : Peter Korrellis
5 Elm Place
LaPorte, IN 46350-2245

Description : Approximately 34 cubic yards of debris will be removed from the lake bed by dredging along the applicant's 60' frontage to a maximum depth of 4.5' below the legal lake level. The dredging will start approximately 10' from the shoreline and extending a maximum of 30' lakeward of the shoreline. An excavator will remove the debris. All excavated material will be deposited in an upland site. Also, a 30' x 20' underwater beach will be constructed along 30' applicant's 60' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on April 26, 2002, May 13, 2002 and May 31, 2002.

Location : 5 Elm Place
at LaPorte, Center Township, LaPorte County
SE¼, SW¼, NE¼, Section 27, T 37N, R 3W, Springville Quadrangle
Quad Code: 4108666
UTM Coordinates: Downstream 4608430 North, 521350 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19187

Lake : Pine Lake

Applicant : Edward Wayner
4 Elm Place
LaPorte, IN 46350

Description : Approximately 42 cubic yards of debris will be removed from the lake bed by dredging along the applicant's 75' frontage to a maximum depth of 4.5' below the legal lake level. The dredging will start approximately 10' from the shoreline and extending a maximum of 30' lakeward of the shoreline. An excavator will remove the debris. All excavated material will be deposited in an upland site. Also, a 37' x 20' underwater beach will be constructed along 37' applicant's 75' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on April 26, 2002, May 24, 2002, May 31, 2002 and June 4, 2002 .

Location : 4 Elm Place
at LaPorte, Center Township, LaPorte County
SE¼, SW¼, NE¼, Section 27, T 37N, R 3W, Springville Quadrangle
Quad Code: 4108666
UTM Coordinates: Downstream 4608450 North, 521352 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19189

Lake : Jimmerson Lake

Applicant : Paul P Groves
180 Lane 305 Jimmerson Lake
Angola, IN 46703-9435

Description : An existing temporary structure consisting of two piers and a walkway will be refurbished. The wooden piers will be 3' wide and 4' wide and will extend 30' lakeward of, and perpendicular to, the lake's legal shoreline. The structure will be supported by auger poles which will be placed in the lakebed using hand held tools. The 34' x 3' wooden walkway will be constructed parallel to the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 23, 2002.

Location : 180 Lane 305 Jimmerson Lake
near Orland, Jamestown Township, Steuben County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4620625 North, 660050 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19190

Lake : Tippecanoe Lake

Applicant : Thomas Selvey
4305 West Peach Tree Lane
Muncie, IN 47304-4128

Description : An existing concrete seawall will be refaced with a layer of concrete across 190' of the applicant's 290' frontage. The refacing will be keyed to the wall's lakeward face. In addition, an existing glacial stone seawall will be refaced with a layer of glacial stone across 100' of the applicant's 290' frontage. The reinforcement will be placed along the wall's lakeward toe. Details of the project are contained in information and plans received at the Division of Water on May 24, 2002.

Location : 35 EMS T34D1 Lane, Lots 11, 12 and 13 in Oldmill Place Subdivision
near Leesburg, Plain Township, Kosciusko County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 1, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4576787 North, 602421 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19191

Lake : Syracuse Lake

Applicant : Town of Syracuse
Clint Houseworth
310 North Huntington Street
Syracuse, IN 46567-1398

Description : A 25' wide swale will be constructed and lined with riprap which will extend down to the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 24, 2002.

Location : Along the south side of Lakeside Park; approximately 240 feet east of Long Drive on Lot 5 of Bachman's First Addition
at Syracuse, Turkey Creek Township, Kosciusko County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 5, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4587055 North, 604491 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19192

Lake : Loon Lake

Applicant : James R Feit
PO Box 40435
Indianapolis, IN 46240-0435

Description : A 10' x 50' underwater beach will be constructed along the applicant's 52' frontage by placing a uniform 6" layer of pea gravel on the lakebed.
Details of the project are contained in information and plans received at the Division of Water on May 24, 2002.

Location : 5753 Red Bud Lane, Lot 30 of Cedar Island Subdivision
near Ormas, Noble Township, Noble County
NW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$, Section 31, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535
UTM Coordinates: Downstream 4569447 North, 622650 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19193

Lake : Jimmerson Lake

Applicant : Don Garton
555 Lane 275 Jimmerson Lake
Angola, IN 46703-9479

Description : As depicted in the sketch by Neil Ledet, Department of Natural Resources, Division of Fish and Wildlife, a bioengineered seawall will be constructed along approximately 150' of the 200' lake frontage. The existing railroad tie seawall will remain in place. Pea gravel and top soil will be placed in the voids around the railroad tie wall. Glacial stone will be placed at the base of the railroad ties for toe protection. Various wetland plants be planted every 3'. A second row of glacial stone will be placed approximately 1.5' lakeward of the existing shoreline. This row of stone will be approximately 1.5' wide and 1' high. In lieu of the second row of glacial stone, small groups of stone will be placed lakeward to protect the new plantings. Details of the project are contained in information and plans received at the Division of Water on May 28, 2002.

Location : 555 Lane 275, lot 27 and 28, Ramblin Acres
near Angola, Jamestown Township, Steuben County
NW¼, NE¼, SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4620480 North, 660389 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19194

Lake : Bruce Lake

Applicant : Robert and Deborah A Wingerter
9902 East 200 South
Zionsville, IN 46077

Description : A concrete seawall will be constructed across 365' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 29, 2002 and June 4, 2002.

Location : 1574 North 1125 West
near Kewanna, Aubbeenaubbee Township, Fulton County
SE $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 6, T 30N, R 1E, Kewanna Quadrangle
Quad Code: 4108614
UTM Coordinates: Downstream 4547307 North, 545533 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19195

Lake : Bruce Lake

Applicant : Virginia Curry
1508 North Lakeshore Drive
Kewanna, IN 46939-9593

Description : A concrete seawall will be constructed across 35' of the applicant's 40' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 29, 2002 and June 4, 2002.

Location : 1508 North Lakeshore Drive
near Kewanna, Aubbeenaubbee Township, Fulton County
NE $\frac{1}{4}$, NW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 6, T 30N, R 1E, Kewanna Quadrangle
Quad Code: 4108614
UTM Coordinates: Downstream 4547235 North, 545519 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11